

Wide Spreading Unit V Spread

Unique | Perfect spreading quality | Working widths up to 36 m






Patented and unique on the market:

The new **BERGMANN** wide spreading unit **V Spread**

The effective combination of the V-shaped arrangement of the spreading discs with a simultaneous increase in diameter enables a more even distribution of the spreading material over the spreading discs and thus also a perfect distribution in the field.

Depending on the spreading material, this makes working widths (tramline spacing) of up to 36 m possible - and this with optimum lateral distribution.











Advantages:

- ▶ Larger working width due to V-shaped spreading discs arranged lateral to the direction of travel
- Less passages per area due to larger working width, thus avoiding soil compaction
- ▶ Use of tramlines over 24 m also possible
- ► Increased throughput compared to standard spreaders
- ► Reduced wear due to reduced number of passages



V Spread is currently available for the BERGMANN universal spreaders

- ► TSW 5210 S
- ► TSW 5210 W
- ► TSW 6240 S
- ► TSW 6240 W
- ► TSW 7340 S



Our product range contains the right vehicle for every operation and every application.

- ▶ Manure Spreaders
- Universal Spreaders
- Loader Wagons
- ► Forage Transport Trailers
- Body Swap System
- Grain Transfer Trailers
- ▶ Beet Transfer Trailers
- Self-propelled Systems



Ludwig Bergmann International Sales GmbH

Hauptstraße 64-66 49424 Goldenstedt/Germany Tel.: +49 (0) 44 44-20 08-0 Fax: +49 (0) 44 44-20 08 88 info@l-bergmann.de

www.bergmann-goldenstedt.de



