

...die Spezialisten

BERGMANN Loader Wagons

For powerful green fodder harvest





BERGMANN, a successful, medium-sized, familyowned company in the third generation, has been firmly linked to its business location in Goldenstedt and its people for over 125 years.

Our actions are determined by an awareness of tradition and our innovative strength. Our stateof-the-art products for spreading and grassland technology, harvesting and transport logistics meet the highest quality standards and are in use worldwide every day. As a strong and reliable partner in the agricultural sector, we develop and produce practical agricultural technology for our customers at our company's factory in Goldenstedt. Our company philosophy, our ambition and

our commitment are:

Quality "Made in Goldenstedt"



Proven quality: *"Made in Goldenstedt"*





Loader wagons

All four BERGMANN series loader wagons offer adapted system technology from specialists for professional farming operations and farm contractors. All machines come standard with exclusive equipment as well as well engineered loading and cutting management for the highest quality demands. BERGMANN is the only manufacturer to offer a a pick-up either with or without camtrack for loader wagons. The user can therefore decide which pick-up best suits his operating conditions. All models can be used both as loader wagons and as forage transport trailers. They are available with or without dosing rollers depending on individual requirements. ISOBUS operation is series and a weighing system is optionally available.

BERGMANN



BERGMANN

ROYAL series

ROYAL 260 S





ROYAL 280 K



ROYAL 300 K

load volume (DIN) 26.8 to 30 m³
pick-up width 1,940 mm
mechanical pick-up drive
2-rotor-system - cutting and pressing rotor

ROYAL 280 S

• 41 knives
• theoretical cutting length 34 mm
• mechanical Tandem chassis with parabolic springs



REPEX series

load volume (DIN) 29.2 to 35 m³
 pick-up width 1,940 mm
 hydraulic pick-up drive
 rotor diameter 750 mm



REPEX 320 K



41 knives
 theoretical cutting length 35 mm
 mechanical Tandem chassis with parabolic springs

SHUTTLE series



load volume (DIN) 35.5 to 51 m³
pick-up width 2,270 mm
hydraulic pick-up drive
rotor diameter 850 mm

ActiveLoad

• 53 knives
• theoretical cutting length 34 mm
• Tandem or Tridem chassis with hydraulic axle compensation

CAREX series



load volume (DIN) 31.3 to 43 m³
pick-up width 2,050 mm
hydraulic pick-up drive
rotor diameter 850 mm
45 knives

 theoretical cutting length 35 mm
 mechanical Tandem chassis with parabolic springs (series for CAREX 330 S / 350 K)
 Tandem chassis with hydraulic axle compensation (optional for CAREX 330 S / 350 K)

Proven actively controlled pick-up

adjustable pick-up speed

pick-up drive

· Reliable stripping of the spring tines

· Safe transfer of the crop into the rotor

• Clean forage and high soil protection thanks to

Automatic or manual speed control via hydraulic

EasyLoad



- Simply designed camless pick-up with short scrapers
- Smooth running and low maintenance
- Wear-resistant tines made of highquality polyurethane
- · Good ground following and clean forade due to wide, flexible tines
- Easy tine replacement due to patented tine attachment with only one bolt
- Automatic or manual speed
 control via hydraulic pick-up drive



Our product range contains the right vehicle for every operation and every application.

- Manure Spreaders
- Universal Spreaders
- Loader Wagons
- Forage Transport Trailers
- Body Swap System
- Grain Transfer Trailers
- Beet Transfer Trailers
- Self-propelled Systems



Ludwig Bergmann International Sales GmbH

Hauptstraße 64-66 49424 Goldenstedt /Germany Tel. +49 (0) 44 44-20 08-0 Fax +49 (0) 44 44-20 08 88 info@l-bergmann.de

www.bergmann-goldenstedt.de



